

L Number	Hits	Search Text	DB	Time stamp
1	6	((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)  NEAR3  (command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))  WITH  (pars\$4 OR analy\$5 OR conver\$5 OR part\$4 OR partition\$4 OR separat\$4 OR divi\$5 OR segment\$4)  WITH  ((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)  NEAR3  (environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))  AND  (send\$3 OR transmi\$6 OR receiv\$4 OR transfer\$4 OR forward\$4 OR uplink\$4 OR download\$4 OR communicat\$4)	USPAT	2004/01/21 11:14
2	6	((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)  NEAR3  (command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))  WITH  (pars\$4 OR analy\$5 OR conver\$5 OR part\$4 OR partition\$4 OR separat\$4 OR divi\$5 OR segment\$4)  WITH  ((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)  NEAR3  (environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))	USPAT	2004/01/21 11:20

5	4	<p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR5</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>SAME</p> <p>(pars\$4 OR analy\$5 OR conver\$5 OR part\$4 OR partition\$4 OR separat\$4 OR divi\$5 OR segment\$4)</p> <p>SAME</p> <p>((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)</p> <p>NEAR5</p> <p>(environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))</p> <p>) AND</p> <p>((send\$3 OR transmi\$6 OR receiv\$4 OR transfer\$4 OR forward\$4 OR uplink\$4 OR download\$4 OR communicat\$4)</p> <p>WITH</p> <p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR3</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>WITH</p> <p>((trust\$3 OR secur\$3 OR closed OR priva\$2 OR tamper\$4)</p> <p>NEAR3</p> <p>(environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1)))</p> <p>) AND</p> <p>((trust\$3 OR secur\$3 OR closed OR priva\$2 OR tamper\$4)</p> <p>NEAR3</p> <p>(environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))</p> <p>WITH</p> <p>(send\$3 OR transmi\$6 OR receiv\$4 OR transfer\$4 OR forward\$4 OR uplink\$4 OR download\$4 OR communicat\$4)</p> <p>WITH</p>	USPAT	2004/01/21 11:28
Search History	1/21/04 12:47:58	<p>1/21/04 12:47:58 OR resp\$42 OR manifest\$6 OR challeng\$4 OR acknowledg\$5 OR indicat\$4)</p> <p>C:\DOCS\cases\095149786951978.wsp</p>		

4	88	<p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR5</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>SAME</p> <p>(pars\$4 OR analy\$5 OR conver\$5 OR part\$4 OR partition\$4 OR separat\$4 OR divi\$5 OR segment\$4)</p> <p>SAME</p> <p>((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)</p> <p>NEAR5</p> <p>(environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))</p> <p>) AND</p> <p>((send\$3 OR transmi\$6 OR receiv\$4 OR transfer\$4 OR forward\$4 OR uplink\$4 OR download\$4 OR communicat\$4)</p> <p>WITH</p> <p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR3</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>WITH</p> <p>((trust\$3 OR secur\$3 OR closed OR priva\$2 OR tamper\$4)</p> <p>NEAR3</p> <p>(environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1)))</p>	USPAT	2004/01/21 11:28
---	----	---	-------	---------------------

3	160	<p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR5</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>SAME</p> <p>(pars\$4 OR analy\$5 OR conver\$5 OR part\$4 OR partition\$4 OR separat\$4 OR divi\$5 OR segment\$4)</p> <p>SAME</p> <p>((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)</p> <p>NEAR5</p> <p>(environment\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))</p>	USPAT	2004/01/21 11:44
6	163	<p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR5</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>SAME</p> <p>(pars\$4 OR analy\$5 OR conver\$5 OR part\$4 OR partition\$4 OR separat\$4 OR divi\$5 OR segment\$4)</p> <p>SAME</p> <p>((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)</p> <p>NEAR5</p> <p>(environment\$1 OR modul\$3 OR component\$1 OR system\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))</p>	USPAT	2004/01/21 12:00

7	1	<p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR3</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>WITH</p> <p>(interpret\$4 OR translat\$4 OR conver\$5 OR compil\$4)</p> <p>WITH</p> <p>((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)</p> <p>NEAR3</p> <p>(environment\$1 OR system\$1 OR modul\$3 OR component\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))</p>	USPAT	2004/01/21 12:07
8	1	<p>((trust\$3 OR secur\$3 OR author\$6 OR authentic\$6 OR valid\$6 OR verif\$6 OR confirm\$6)</p> <p>NEAR3</p> <p>(command\$1 OR instruct\$4 OR code\$1 OR software OR request\$1 OR execut\$4))</p> <p>WITH</p> <p>(interpret\$4 OR translat\$4 OR conver\$5 OR compil\$4)</p> <p>WITH</p> <p>((untrust\$3 OR insecur\$3 OR unsecur\$3 OR open)</p> <p>NEAR3</p> <p>(environment\$1 OR system\$1 OR modul\$3 OR component\$1 OR client\$1 OR kiosk\$1 OR terminal\$1 OR application\$1 OR kernel\$1 OR object\$1))</p>	USPAT	2004/01/21 12:08